

# Hitachi Data Instance Director v6.5 Long-Term Retention Support Matrix

## Introduction: Agent-Based

Hitachi Data Instance Director (HDID) can provide consistent protection with the use of a host agent.







- Agent-based protection performs the application interaction required to provide operating-system-aware consistency where supported.

## Supported Hitachi Content Platform (HCP) Versions













- HCP v7.3.2 onwards

# Agent-Based Protection

Agent-based protection provides application-consistent protection support with the following operating systems and configurations.

Operating System		Supported Protection Types
		Host Based
		Repository
<b>Microsoft Windows (Server)</b>	Windows Server 2008 (32-bit) Windows Server 2008 (64-bit) Windows Server 2008 R2 (64-bit) Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows 10 Windows Server 2016 (64-bit) <sup>(1)</sup>	  (NTFS,ReFS)
<b>Microsoft Windows (Desktop)</b>	Windows 7 SP1 Windows 8 or 8.1 Windows 10	  (NTFS,ReFS)
<b>Linux<sup>(1)</sup></b>	RHEL 6 x64 (6.7 and newer) RHEL 7 x64 (7.0 and newer) OEL 6 x64 (6.3 and newer) OEL 7 x64 (7.0 and newer) SUSE 11 x64 (11.3 and newer) SUSE 12 x64 (12.0 and newer)	  (EXT3, EXT4, LVM, NFS, ASM)
<b>IBM® AIX®</b>	AIX v7.x (7.1 TL4 and newer)	  (JFS2, NFS, ASM)
<b>Oracle Solaris (Intel)</b>	Solaris 11 (11.0 and newer)	  (JFS2, NFS, ASM)
<b>Oracle Solaris (SPARC)</b>	Solaris 11 (11.0 and newer)	  (JFS2, NFS, ASM)

NTFS = New Technology File System, ReFS = resilient file system, EXT3 = third extended file system, EXT4 = fourth extended file system, LVM = logical volume manager, NFS = network file system, ZFS = zettabyte file system or z file system, HNAS = Hitachi NAS Platform

Operating Systems	Host-Based Backup	
	Backup	Real-Time and Continuous Data Protection
Microsoft Windows (Server)		
Microsoft Windows (Desktop)		
Linux <sup>(1)</sup>		
IBM® AIX®		
Oracle Solaris (Intel)(3)		
Oracle Solaris (SPARC)(3)		

(1) Windows 2016 is supported only with features compatible with Windows 2012.

(2) It is recommended that Linux source nodes have a logical volume manager (LVM) on each volume group that is to be backed up. A minimum of 10GB of free space is required in the "unused" portion of the LVM, which is in addition to the required space for the allocated storage area. For example, if 100GB of usable storage is required, then the total disk size will be 110GB (100GB of usable storage and 10GB of unused storage).

(3) ACLs or Extended Attributes are not protected, if they are present on data that is backed up, then they will not be restored.

## Hitachi Vantara Corporation

### Corporate Headquarters

2845 Lafayette Street, Santa Clara, California 95050-2639 USA [HitachiVantara.com](http://HitachiVantara.com) | [community.HitachiVantara.com](http://community.HitachiVantara.com)

### Regional Contact Information

USA: 1 800 446 0744

Global: 1 858 547 4526

[HitachiVantara.com/contact](http://HitachiVantara.com/contact)

HITACHI is a trademark or registered trademark of Hitachi, Ltd. IBM and AIX are trademarks or registered trademarks of International Business Machines Corporation. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation. All other trademarks, service marks, and company names are properties of their respective owners.

09 May 2018