

Hitachi Data Instance Director (HDID) 6.9

Support Matrix: SAP

Introduction: Agent-based and Agentless protection

HDID can provide consistent protection either with or without the use of a host agent.

- Agent-based protection performs the application interaction required to provide application aware consistency.
- Agentless protection protects the application data on disk and therefore provides crash consistency. It can also call pre-execution scripts and post-execution scripts as part of a policy to enable the use of user scripts to ensure application aware consistency.

This support matrix describes the environments supported by either method of protection.

Supported Application Versions⁽¹⁾

- SAP HANA Platform 1.0 SPS 12
- SAP HANA Platform 2.0 SPS 02

Agent-Based Protection

Agent-based protection provides application consistent protection support with the following operating systems and configurations.

Operating System ⁽¹⁾		Support Protection Types		
		Host- Based	Storage-Based	
		Repository	Hitachi VSP Family	Hitachi NAS Platform
Linux	RHEL 6 x64 (6.7 and newer) RHEL 7 x64 (7.2 and newer) SUSE for SAP 11 x64 (11.3 and newer) SUSE for SAP 12 x64 (12.0 and newer)	✘	✔ (EXT3, EXT4, XFS)	✘

Application Configurations	Host-Based Backup		Hitachi VSP Family ⁽²⁾⁽³⁾			Hitachi NAS Platform	
	Batch	Real-time/CDP	Snapshot (TI)	Live Replicate (SI / TC / UR / global-active device)	Batch Replicate (TI / SI)	Directory Clone	File Replication
Standalone	✘	✘	✔	✔	✔	✘	✘

Agentless Support

Agentless protection provides crash consistent protection for any operating system version and configuration as follows (subject to operating system and application vendor support):

Configurations	Host-Based Backup		Hitachi VSP Family ⁽²⁾		Hitachi NAS Platform	
	Batch	Real-time/CDP	Snapshot (TI)	Replicate (TI / SI / TC / UR / global-active device)	Directory Clone	File Replication
"LDEV-based"	✘	✘	✔	✔	✘	✘
VMware	✔	✘	✔	✔	✘	✘

(1) Note: Support only where standard vendor support is available.

(2) In virtual environments, the volumes must be VMWare physical Raw Device Mapping (pRDM) or for Microsoft Hyper-V, N_Port ID virtualization (NPIV).

(3) A VMware proxy node must be configured on the master to support mounting to VMware virtual machines.

Revision: August 2019

Hitachi Vantara Corporation

Corporate Headquarters

2535 Augustine Drive Santa Clara, CA 95054 USA HitachiVantara.com | community.HitachiVantara.com

Regional Contact Information

USA: 1 800 446 0744

Global: 1 858 547 4526

HitachiVantara.com/contact

HITACHI is a trademark or registered trademark of Hitachi, Ltd. Microsoft and Windows Server are trademarks or registered trademarks of Microsoft Corporation. All other trademarks, service marks, and company names are properties of their respective owners.

May 2018