



## VSP G1x00, F1500, Gxx0, Fxx0 series

**Note:** Configurations added since the last matrix will be shown in red text.

### Introduction

Use this interoperability matrix to check whether a proposed customer configuration is supported. Hitachi Storage PLug-in for Containers (HSPC) provides persistent volumes from Hitachi VSP storage series. It can be used in non-cluster environments as well as with Docker Swarm Manager or Kubernetes Master node

Please refer to other relevant OS support matrices for details on storage, switch and HBA interoperability.

If a combination does not appear on the OS support matrix, the customer's Hitachi Vantara Sales Engineer (SE) or other Hitachi Vantara field service employee must submit an Interoperability Support Request in order to gain support for the new configuration.

**Gxx0 refers to : G900,G800,G700, G600, G400,G370,G350 and G200**

**Fxx0 refers to : F900,F800, F700,F600, F400,F370,F350**

**G1x00 refers to : G1500 and G1000**

### Legal Disclaimer

*This information is subject to change without notice. The information contained in this document is provided by Hitachi Vantara for general information purposes only and is based on information as of the date of distribution (indicated by the date above). Hitachi Vantara makes no express or implied warranties of any kind whatsoever regarding the contents of this Document or the performance of the products referred to in these documents and Hitachi Vantara expressly disclaims all warranties including, without limitation, the implied warranties of satisfactory quality, merchantability or fitness for a particular purpose, the statutory warranty against infringement, and any warranty of title. Hitachi Vantara will have no liability whatsoever for any direct loss or damage (but excluding any liability for death, personal injury or fraudulent misrepresentation) or for any indirect, special, incidental or consequential damages, including but not limited to loss of data or records, lost profits or other economic loss, arising out of or in connection with the use of this information even if such loss was foreseeable or Hitachi Vantara had been advised of the possibility of such loss.*

## Support for HSPC : Hitachi Storage Plug-In for Containers VSP G1x00 F1500 Gxx0 Fxx0 series

HSPC Version	v1.0	v1.1.0	v2.0.0
Docker	1.13 or later	1.13 or later	1.13 or later
Kubernetes	1.6	1.6, 1.9	1.11, 1.12 and 1.13
Red Hat OpenShift Container Platform	-	3.7	3.11
Container Storage Interface (CSI)	-	-	Kubernetes 1.13
etcd	3 or later	3 or later	3 or later
Hitachi Configuration Manager	8.5.2 or later	8.5.2 or later	8.5.2 or later

Supported OS	Version	Notes
Red Hat Enterprise Linux	RHEL 7.0	HSPC v1.1.0 and up HSPC v2.0.0 and up
	RHEL 7.1	
	RHEL 7.2	
	RHEL 7.3	
	RHEL 7.4	
	RHEL 7.5	
	RHEL 7.6	

Storage Model	Interface	Microcode	Notes
VSP F1500 VSP G1500 VSP G1000	FC iSCSI iSCSI CHAP	80-05-01 or later (SVOS 7.0)	Hitachi Dynamic Provisioning is required Hitachi Thin Image is optional.  iSCSI CHAP supported with HSPC v2.0.0 for Kubernetes and for Container Storage interface (CSI)
VSP F900 VSP G900 VSP F700 VSP G700 VSP F370 VSP G370 VSP F350 VSP G350		88-01-03 or later	
VSP F800 VSP G800 VSP F600 VSP G600 VSP F400 VSP G400 VSP G200		83-04-01 or later (SVOS 7.0)	

**For the dependency on CNA, HBA and iSCSI cards, refer to the OS support matrix.**  
[Hitachi Interoperability Reports](#)