

Hitachi Compute Plug-in for VMware vCenter V01.4.0

Release Notes

About this Document	1
Intended Audience	1
Getting Help	1
Software and Hardware Support	2
Changes in this Release	4
Documentation	4
Copyrights and Licenses	5

About this Document

This document provides the latest information about Hitachi Compute Plug-in for VMware vCenter. It includes information that was not available at the time the technical documentation for this product was published and known problems and solutions.

Intended Audience

This document is intended for customers and Hitachi Ltd. partners who license and use Hitachi Compute Plug-in for VMware vCenter.

Getting Help

The Hitachi Data Systems Support Center staff is available 24 hours a day, seven days a week. Provisions for patches and fixes are restricted to normal business hours, 8 a.m. to 5 p.m. PST.

To reach us, please visit the support Web site for current telephone numbers and other contact information: <http://www.hds.com/services/support/>. If you purchased this product from an authorized HDS reseller, contact that reseller for support.

Before calling the Hitachi Data Systems Support Center, please provide as much information about the problem as possible, including:

- The circumstances surrounding the error or failure.
- The exact content of any error message(s) displayed on the host system(s).

Software and Hardware Support



Note: this release supports only the software and hardware listed below.

Supported Software

Operating Systems	Server ₁	Client ₂
Microsoft Windows Server 2008 R2 Standard/Enterprise/Datacenter Edition SP1	X	X
Microsoft Windows Server 2012 Standard/Datacenter Edition	X	X
Microsoft Windows Server 2012 R2 Standard/Datacenter Edition	X	X
Microsoft Windows 7 Enterprise/Home Premium/Professional/ultimate SP1		X
Microsoft Windows 8 Core/Pro/Enterprise		X
Microsoft Windows 8.1 Core/Pro/Enterprise		X
Mac OS v10.9		X

Note 1: an operating system in the server role is one upon which both VMware vSphere Web Client and Hitachi Compute Plug-in for VMware vCenter are installed.

Note 2: an operating system in the client role is used to access the VMware vSphere Web Client server-side components, including those provided by Hitachi Compute Plug-in for VMware vCenter, using a Flash-enabled Web browser.

Other Software	Versions
VMware vSphere Web Client	5.1 Update 3
VMware vCenter Server	5.5 Update 2e
VMware vCenter Server Appliance	6.0
VMware ESXi	5.1 Update 3 5.5 update 2 6.0
Hitachi Compute Systems Manager (Part of Hitachi Command Suite)	7.6.1 or newer
Microsoft Internet Explorer Firefox Google Chrome	Supported version complies with the vSphere Web Client supported version.
Adobe Flash Player	Supported version complies with the vSphere Web Client supported version.

Supported Hardware

Hitachi Compute Blade Chassis	Minimum Firmware
CB 500	A0145
CB 2000	A0351
CB 2500	A0100

Hitachi Compute Blade 500 Blades	Models
CB520H	A1 and B1
CB520H	A2 and B2
CB520H	B3 Note1
CB520A	A1
CB540A	A1 and B1
CB520X	B1 Note1
CB520X	B2 Note2

* **Note1:** HCSM 8.1.0 or newer is required.

* **Note2:** HCSM 8.1.4 or newer is required.

Hitachi Compute Blade 2000 Blades	Models
Standard Blade Server	R3 and S3
Standard Blade Server	R4 and S4
High Performance Blade Server	A2

Hitachi Compute Blade 2500 Blades	Models
CB520H	B3 Note1
CB520X	B1 Note1
CB520X	B2 Note2

* **Note1 :** HCSM 8.1.1 or newer is required.

* **Note2 :** HCSM 8.1.2 or newer is required.

Changes in this Release

New Features

- CB520H Server B3 Blade/CB520X Server B2 Blade for CB500 support
- CB520H Server B3 Blade/CB520X Server B2 Blade for CB2500 support
- Microsoft Windows 8.1 support (Client)
- VMware vCenter Server/vSphere Web Client/ESXi 5.1 update 3 support
- VMware vCenter Server/vSphere Web Client/ESXi 5.5 update 2e support
- VMware vCenter Server/vSphere Web Client/ESXi 6.0 support

Known Problem

- Not Applicable for this release

Fixed Problem

- “Though chassis equipped with dual management modules normally assign a separate maintenance IP address to each module, the active module’s maintenance IP will appear to apply to both the active and standby modules (in the VMware vSphere Web Client interface).”

This problem is depend on HCSM version 7.x.x , and the problem is solved by HCSM 8.0.0.

Documentation

This release includes the following document:

Hitachi Compute Plug-in for VMware vCenter User’s Guide
(MK-92ADPTR049-04.pdf)

Copyrights and Licenses

Copyright © 2014, 2015, Hitachi Ltd., ALL RIGHTS RESERVED.

Legal Disclaimer

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or stored in a database or retrieval system for any purpose without the express written permission of Hitachi, Ltd. (hereinafter referred to as "Hitachi").

Hitachi reserves the right to make changes to this document at any time without notice and assume no responsibility for its use. This document contains the most current information available at the time of publication. When new and/or revised information becomes available, this entire document will be updated and distributed to all registered users.

All of the features described in this document may not be currently available. Refer to the most recent product announcement or contact your local Hitachi Data Systems Corporation sales office for information on feature and product availability.

Trademarks of Other Companies

Java is a registered trademark of Oracle Corporation, its subsidiaries and affiliates.

"Microsoft" is a registered trademark or trademark of Microsoft Corp. in the United States and other countries.

Windows Server is a registered trademark or trademark of Microsoft Corp. in the United States and other countries.

Windows is a registered trademark or trademark of Microsoft Corp. in the United States and other countries.

VMware vSphere is a registered trademark or trademark of VMware, Inc. in the United States and other countries.

VMware and ESXi are registered trademarks or trademarks of VMware, Inc. in the United States and other countries.

All other brand names and product names are registered trademarks or trademarks of the individual owners. In addition, ® and ™ are not marked in the text.